

INSTALLATION INSTRUCTIONS

Ceiling-Mounted Basin Spout

嵌頂式出水管組安裝說明

Applicable Product Number:

適用產品型號:



6777-C7-80MA

CARE & CLEANING

清潔與保養

CAUTION : This product might be damaged by improper installation, acid cleaning solution, misuse, improper care and cleaning.

1. Always follow the INSTALLATION INSTRUCTIONS provided and use extreme care while installing.
2. Do not use acid cleaning solution or abrasive cleaner (Ex: Hydrochloric acid or toothpaste); test your cleaning solution on an inconspicuous area before applying to the entire surface.
3. Wipe surfaces clean and rinse completely with water immediately after applying cleaner. Do not soak with cleaners. Rinse and dry any overspray that lands on nearby surfaces.
4. Use a dampened sponge or cloth to clean surface. (Do not use abrasive material such as brush or scouring pad.)

注意：此產品有可能因為不當安裝，誤用酸性清潔劑或清潔方式不正確而造成產品受損。


1. 產品安裝時必須依照產品所附的安裝說明和操作方式安裝。
2. 不可使用含有酸性或具研磨效果的清潔劑清洗（例如：鹽酸、牙膏），請先在產品較不顯眼的地方測試您的清潔方法，然後再應用到整個表面。
3. 產品塗佈清潔劑後，應立即擦拭除污，用清水沖洗，並擦乾產品和檯面。切勿讓清潔劑在產品表面浸濕潤漬過久。
4. 請使用濕海綿或乾淨棉布擦拭產品表面。（不可使用會刮傷或具研磨材質的刷子及鋼刷）。

FIXING CONTENTS

組配件內容


A. Spout(Lower Part) * 1

出水管(下端)




B. Spout(Upper Part) * 1

出水管(上端)



C. Fixing Assembly * 1

固定座組



D. Connector * 1 (with Gasket)

進水接頭(含墊片)




E. Clip * 1

管束



F. Flange * 1 (with Set Screw)

法蘭蓋(含螺絲)



INSTALLATION NOTIFICATION

安裝注意事項

 **CAUTION : Please read the following points carefully before Installation.**

1. Please help to protect the hose in the repairing space during construction for avoiding accidental damage resulting in water leakage.
2. When finished installation, turn the valve on and run water for 1 minute to remove any debris before using.

 注意：安裝前，請詳閱下列注意事項。

1. 天花板上方的維修空間，有出水軟管，請在工程施作的過程中，保護好出水軟管，避免誤傷管線，造成漏水。
2. 完成安裝後，需在使用前先把供水開關全開排水持續一分鐘，去除雜質，以保持管路清潔。

Inside Pipe Arrangement

管路示意圖

NOTICE

Before purchasing, please specifically discuss with the supplier about the installing surroundings and situations to make sure if the product is available for your space. Suggested height of Spout can be 150mm higher than basin.


Size in the parentheses is only for reference, please help to adjust the height to suit for each situation.

※注意

由於使用環境的不同，購買前，請與JUSTIME經銷商討論，選擇適合的商品長度。

出水口高度，建議以臉盆高度再加150mm。

()內之尺寸請依使用者之使用高度做調整，以下尺寸僅供參考。




Make A Bracket

Please consider about the exact installing situation, height of ceiling and the pipe arrangement in the ceiling to design and make the proper bracket.

製作固定架時，外觀需依照現場天花板高度以及天花板上是否有障礙物(管路、鐵條...)密布來設計外觀並且設定尺寸。


Below is the reference design for the bracket.

下圖固定架為建議外觀示意圖，可供參考。




* Please drill a 35mm to 40mm hole on the flat surface under the bracket, and then fix the bracket on the original ceiling for the next installing steps.

請先在固定架下方平面處鑽35mm~40mm的孔洞後，再將固定架鎖固於天花板上，以利後續安裝產品。




- * Keep 60mm to 80mm distance from bottom of bracket to finished roof for repairing purpose. Open a 50mm hole on the finished roof in the vertical line with the hole on the bottom of bracket.

安裝固定座時，固定座底面與最終完成天花板預留60mm~80mm，以利後續維修用。並請在後續天花板施工時，在正下方預留50mm的孔洞，以利後續安裝。



* Pass the Hose through the **Spout (Upper Part)**, and then screw the Lower Part and Upper Part together.

先取出水管(下端)將軟管穿入出水管(上端)，穿出後再請將出水管上下端對鎖鎖緊即可。



- * Insert the **Spout** into the bracket to make sure the requested length, mark the markline on the **Spout** at the junction with bottom of bracket. Remove the **Spout** and mark the baseline at 30mm above the marking line, make the upper edge of mounting base be level with baseline, and then fix the mounting base with Set Screws.


在固定座螺絲鎖固之前，先將出水管插入天花板固定架內，並且丈量所需的出水管長度後，在出水管與固定架底面交接處畫線於出水口上，然後取下後在原先做記號的線往上30mm再畫上一條基準線，再取固定座組穿入出水管後將基準線對齊固定座上方持平，調整後將螺帽兩側螺絲鎖緊固定。

* **⚠ CAUTION :**

If the Spout is too long or the ceiling is too low to install, please disassemble the upper and lower parts of Spout, cut the upper part to proper length, and then repeat the former steps of installation.


⚠ 注意：

如果出水管長度太長時，先將出水管鬆退拆下為兩段後，拿取出水管(上端)裁切多餘長度，然後再依照前面步驟依序重新穿線後即可進行後續安裝。



* Pass the **Spout** through the reserved hole on roof and hole under bottom of bracket, fix the mounting base with Gaskets, Washers, and Hex Nuts, and then cover the **Flange** with Set Screw.

將組裝完畢的出水管從下方穿過預留孔，再穿過固定架的孔洞後利用六角螺帽(含墊片)與出水管固定座鎖緊，最後將法蘭蓋蓋上，再從側邊鎖上螺絲固定即可。



* After install the **Spout**, screw the **Connector** to water inlet with **Gasket**, and then fix the Hose to **Connector** with **Clip**.

固定好出水管後，把進水接頭(含墊片)鎖緊至進水管上，並將管束穿入至軟管中，再來把軟管插入進水接頭內，最後用管束固定軟管即完成安裝。

WARRANTY

Sheng Tai Brassware Co., Ltd. offer a three-year warranty on all of the Faucets & Bathroom Accessories from date of purchasing. The warranty covers any defect in material and workmanship during normal residential use. The following conditions of defect are charged for maintaining.

- Damage caused by accident, misuse, improper care and cleaning.
- Improper using or installation.
- Defects because of the external factors, such as erodent environment (ex. Seashore or mineral spring.), animal bites or dead bug remains in product etc.
- Defect because of sand or impurity stuck in faucet water way.
- Using water not adhered to the regulations of national standard.
- Deficiency caused by freeze.
- Not showing this warranty card.
- Not filling out in the blank of name of customer, date of purchase, cost of purchase, company of installation (retail store) and stamp on warranty card.
- Sheng Tai Brassware Co., Ltd. is not responsible for labor charges, installation, or other incidental or consequential costs.

勝泰衛材股份有限公司提供所有的水龍頭及浴室配件，從購買之日起三年保固。保固範圍包括在一般住宅正常使用的期間，發現產品有任何材質和加工上的瑕疵。如瑕疵有下列情形，將收取維修費用。

- 因意外事故、不當操作使用，不當的保養維護和清洗所造成的損害。
- 不當使用或安裝。
- 外在因素造成產品的瑕疵，如易造成侵蝕的環境（如濱海或溫泉地區）、動物嚙咬或屍體存在於產品內造成的損壞。
- 因砂子或雜質卡住水龍頭水路造成的損壞。
- 沒有依循國家標準的規定使用水源造成的損壞。
- 因冰凍造成的水量不足。
- 未出示此保固卡。
- 未在空白處填寫客戶名稱，購買日期，購買成本，安裝公司（零售商店），及保證卡上未蓋章。
- 勝泰衛材股份有限公司不負責工人費用，安裝，或其他附帶或間接產生的費用。

Customer	Name		Tel	
	Address			
Product	Serial No.		Name	
	Warranty	Three year from date of purchase.		
Purchase place	Store		Tel	
	Address			
Purchase Date				
Purchase Price				

JUSTIME
www.justime.com

SHENG TAI BRASSWARE CO., LTD.

No.99 Sec.3 Chang Tsao Rd. Ho Me, Chang Hua, Taiwan

508 台灣彰化縣和美鎮彰草路3段99號

TEL: +886-4-7629971~4

FAX: +886-4-7526980

E-mail: shengtai@ms10.hinet.net

Facebook: www.facebook.com/JUSTIME